

Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

AS TO APPLICATION




Fig. 9

AS TO ENVIRONMENT SETTING




Fig. 10

AS TO WORKING STATE

(A)

(FIRST OBTAINING)

- PRINTER CONNECTION
- ADSL MODEM CONNECTION
- HD 40GB MANY FILES SEGMENTED.
-
-

(A)

(MONITOR MESSAGE)

2001/7/10/8:00
 SOURCE TURN-ON
 SOURCE STATE : BATTERY
 NETWORK CONNECTION
 2001/7/10/12:00
 STANDBY
 2001/7/10/18:00
 RESUME
 SOURCE STATE : AC SOURCE
 BATTERY RESIDUE : 10%
 NETWORK LOG-OFF
 ·
 ·

(B)

(APPLICATION PATTERN)

SOURCE STATE : TIME WORKING WITH BATTERY IS LONG.
 NETWORK : TIME IN CONNECTION IN ALWAYS CONNECTABLE ENVIRONMENT
 PRINTER : WHILE IT IS CONNECTED, APPLICATION FREQUENCY IS LOW.
 HD : MANY FILES SEGMENTED.
 ·
 ·

(C)

Fig. 11




Fig. 12